

CIAO FIAT

00 800 342 800 00

Customer Service

A single number to feel special. Call 00.800.3428.0000 free from all over Europe\* to request: ROADSIDE ASSISTANCE, towing and intervention in the event of breakdown and accidents (24 hours a day, 7 days a week). INFORMATION, details and assistance on models, services, sales network and test drives.

\*Check whether your call will be free by contacting your network operator.

CIAO FIAT  
PROFESSIONAL MOBILE

Available on the  
App Store

Available on the  
Google play



Ciao Fiat Professional Mobile is the original Fiat Professional application for all its customers. You can access a range of services and assistance at the touch of a finger, wherever you are. Search Fiat Professional Mobile on App Store and Google Play.



Mopar® Vehicle Protection offers the only range of Fiat Chrysler Automobiles approved assistance and maintenance schemes. Offering services designed to care for your vehicle, it ensures that all servicing operations are carried out at Fiat Chrysler Automobiles authorised dealerships and workshops in Europe by highly qualified and specialised technicians, using original parts.



However you choose to experience mobility, SAVA satisfies your needs with financial and leasing packages combined with exclusive services. For more information, call the Contact Centre 199.818.203 (from Monday to Friday from 9 a.m. to 5 p.m.) or visit the [www.fgacapital.it](http://www.fgacapital.it) website.

Find out how to get your new Ducato with SAVA's innovative finance solutions. Whether you're an individual, a self-employed professional or an entrepreneur, SAVA offers you the best and most flexible financial instruments to assist your imminent purchase of a new Ducato and drive in complete freedom. With SAVA you can combine high-added-value services tailor made to meet your every requirement. For more information, visit the [www.fgacapital.it](http://www.fgacapital.it) site

## myFiatProfessional

Take care of your Fiat Professional vehicle with a click! Register now on myFIATPROFESSIONAL. You'll get personalised advice, dedicated tools and exclusive promotions. [www.fiatprofessional.it/myfiatprofessional](http://www.fiatprofessional.it/myfiatprofessional)



Download and install a QR code reader free of charge on your smartphone, scan the code and follow the instructions to connect, via internet\*, to the [fiatprofessional.it](http://fiatprofessional.it) site.

\* Navigation costs according to the tariff of your network operator.



Activate the Augmented Reality "AR" module.



Frame the page to explore the additional content.

[www.fiatprofessional.com](http://www.fiatprofessional.com)

Model specifications and options may vary due to certain market or legal requirements. The data contained in this publication are purely indicative. Fiat may change the models described in this publication at any time for reasons of a technical or commercial nature.  
Fiat Marketing 04.3.2115.08 - S - 06/2014 - Printed in Italy - Tipografia Sossò - Torino.  
Printed on chlorine-free paper.



# NEW DUCATO GOODS TRANSPORT





## A NEW GENERATION AT WORK

### THE TECHNOLOGY OF A NEW GENERATION

The world of work has changed. Efficiency, technology, reliability and robustness are fundamental, but no less essential are flexibility, comfort and style. That's why the **New Ducato Goods Transport** is here, the ideal vehicle for work which is constantly evolving.

It's easy to handle, safe and ready to assist you in every challenge, always adapting to your needs. With the New Ducato goods transport, the new generation of business is already at work.



### THE STYLE OF A NEW GENERATION

### THE EFFICIENCY OF A NEW GENERATION

ENTER AUGMENTED REALITY  
Activate the "AR" module and frame the page to explore the additional content.





## THE EFFICIENCY OF A NEW GENERATION



At work, today as never before, it's essential to cut costs and maximise results, without sacrificing quality. **New Ducato** and **New Ducato Maxi** guarantee

performance, flexibility, high capacity, efficiency and some of the lowest running costs on the market.



The New Ducato goods transport is designed to adapt to all types of work, simply and efficiently. Its versatility is at the top of the category, in part thanks to the utmost efficiency of its load compartment, with doors that open at full height up to 270° and the lowered load platform (for moving nimbly from one

stage of your work to another).

What's more, the New Ducato offers you a vast range of engine versions, all designed to bring the maximum benefit to your business. The Ducato and New Ducato Maxi are at your side in countless combinations, for any type of transport.

## ENGINES

- 115 MultiJet
- 130 MultiJet
- 150 MultiJet
- 180 MultiJet

## LOAD

- GVW from 2.6 to 4.25 t.
- Capacity from 1000 to 2100 kg
- Load volume from 8 to 17 m<sup>3</sup>

## RANGE

- Light
- Maxi







CREW CAB



Wheelbase  
mm

Van

Van Glazed/  
semi-glazed

Van  
Crew cab

3000



GVW: 2600, 2800, 3000, 3300, 3500 kg  
**Maxi 3500, 4005 kg**  
Capacity: from 830 to 1655 kg  
**Maxi from 1520 to 2060 kg**  
Load volume: 8 and 9.5 m<sup>3</sup>



GVW: 3000, 3300, 3500 kg  
Capacity: from 1030 to 1655 kg  
Load volume: 8 and 9.5 m<sup>3</sup>



GVW: 3300, 3500 kg  
**Maxi 3500 kg**  
Capacity: from 1194 to 1489 kg  
**Maxi from 1354 to 1434 kg**  
Load volume: 5.5 m<sup>3</sup>

3450



GVW: 3000, 3300, 3500 kg  
**Maxi 3500, 4005 kg**  
Capacity: from 995 to 1615 kg  
**Maxi from 1455 to 1995 kg**  
Load volume: 10 and 11.5 m<sup>3</sup>



GVW: 3000, 3300, 3500 kg  
**Maxi 3500, 4005 kg**  
Capacity: from 1020 to 1615 kg  
**Maxi from 1455 to 1995 kg**  
Load volume: 10 and 11.5 m<sup>3</sup>



GVW: 3000, 3300, 3500 kg  
**Maxi 3300, 3500 kg**  
Capacity: from 1209 to 1449 kg  
**Maxi from 1289 to 1394 kg**  
Load volume from 7 to 8 m<sup>3</sup>

4035



GVW: 3300, 3500 kg  
**Maxi 3500, 4005, 4250 kg**  
Capacity: from 1220 to 1540 kg  
**Maxi from 1380 to 2110 kg**  
Load volume: 13 and 15 m<sup>3</sup>



GVW: 3300, 3500 kg  
**Maxi 3500, 4005, 4250 kg**  
Capacity: from 1220 to 1540 kg  
**Maxi from 1380 to 2110 kg**  
Load volume: 13 and 15 m<sup>3</sup>



GVW: **Maxi 3500 kg**  
Capacity: from 1239 to 1319 kg  
Load volume: 10.5 m<sup>3</sup>

4035 XL



GVW: 3800 kg  
**Maxi 3500, 4005, 4250 kg**  
Capacity: from 1370 to 1495 kg  
**Maxi from 1330 to 2065 kg**  
Load volume: 15 and 17 m<sup>3</sup>



GVW: **Maxi 3500, 4005, 4250 kg**  
Capacity: from 1360 to 2065 kg  
Load volume: 15 m<sup>3</sup>



## RANGE

The New Ducato Goods transport is available in 5 configurations with gross vehicle weight from 2600 kg to 3500 kg, while there are 3 configurations for the New Ducato Maxi (from 3500 kg to 4250 kg). With 4 different wheelbases, 5 lengths, 3 heights and capacities from 800 kg to 2100 kg, the New Ducato range covers and meets all transport needs.

In addition the New Ducato range is enhanced with a new version, the **Crew Cab Van**, which can carry up to seven people, offering a load compartment of up to 2.50 m in length. In addition, the space between the seats can be used to load items up to 3.60 m in length.





Thanks to a wealth of measures, the capacity and practicality of the New Ducato have been further improved. The rear doors are designed to exploit every available square inch for the load, opening up to 270°, while the side doors open easily, meaning europallets can also be loaded. Inside, a range of trim version solutions guarantee top-of-the-range

versatility. The load compartment offers unrivalled space. Thanks to the optimised distance between the wheel arches, it offers a wide, regular structure, also conceived for fitting with shelves, platforms or partitions, applied with great ease and safety. The load compartment is provided with hooks for retaining goods.



Load compartment dimensions (in mm)		Wheelbase 3000	Wheelbase 3450	Wheelbase 4035	Wheelbase 4035 XL
A = load compartment height		1662 / 1932	1662 / 1932	1932 / 2172	1932 / 2172
B = width		1870	1870	1870	1870
C = lenght		2670	3120	3705	4070
D = width between wheel arches		1422	1422	1422	1422
E = load threshold height when unladen		535 / 550	535 / 550	535 / 550	535 / 550
Rear door	width	1562	1562	1562	1562
	height	1520 / 1790	1520 / 1790	1790 / 2030	1790 / 2030
Side door	width	1075	1250	1250	1250
	height	1485	1485 / 1755	1755	1755
Load volume (in m³)		8 and 9.5	10 and 11.5	13 and 15	15 and 17







SINGLE CAB

CREW CAB



The load platform is lined with robust marine plywood.



The rear board has a folding step to facilitate loading/unloading operations.

The Truck version of the New Ducato has been updated too, designed to meet every situation rapidly and efficiently, without neglecting comfort and safety. **New Ducato Truck** comes in 5 single-cab versions and 3 crew-cab versions, even more practical and comfortable, with a box designed and produced















directly by Fiat to maximise the results: load surface from 4.9 to 8.5 m<sup>2</sup>, practical side boards, non-slip surface and lots of capacity combinations. It's available with wheelbases from 3000 mm to 4035 mm and capacities from 1065 to 2120 kg.



The new version of the **Truck with flat-bed tipper** entirely designed, built and guaranteed by Fiat is particularly recommended for use on building sites. It is available with 4 wheelbases with single cab, crew cab and single cab with small tool box positioned

between the cab and the flatbed. The useful load surface ranges from 5.1 to 6.8 m<sup>2</sup> and the flatbed is made of steel. Lastly, a practical toolbox positioned below the flatbed makes it easy to carry small tools safely.



	Wheelbase mm	Truck	Truck crew cab	Truck three-way tipper
3000		 GVW: from 2935 to 3395 kg Capacity: from 1110 to 1535 kg Load surface: 5.7 m <sup>2</sup>		 GVW: from 3200 to 3395 kg Capacity: from 927 to 1047 kg Load surface: 5.1 m <sup>2</sup>
3450		 GVW: from 3000 to 3500 kg <b>Maxi from 3500 to 3970 kg</b> Capacity: from 1065 to 1590 kg <b>Maxi from 1525 to 2025 kg</b> Load surface: 6.6 m <sup>2</sup>	 GVW: from 3250 to 3430 kg <b>Maxi from 3500 to 3840 kg</b> Capacity: from 1215 to 1345 kg <b>Maxi from 1375 to 1715 kg</b> Load surface: 4.9 m <sup>2</sup>	 GVW: from 3300 to 3500 kg <b>Maxi from 3500 to 3970 kg</b> Capacity: from 902 to 1127 kg <b>Maxi from 1062 to 1562 kg</b> Load surface: 6.3 m <sup>2</sup>
3800		 GVW: from 3000 to 3500 kg <b>Maxi from 3500 to 4100 kg</b> Capacity: from 1125 to 1625 kg <b>Maxi from 1490 to 2090 kg</b> Load surface: 7.3 m <sup>2</sup>		 GVW: from 3000 to 3500 kg <b>Maxi from 3500 to 4100 kg</b> Capacity: from 947 to 1162 kg <b>Maxi from 1027 to 1627 kg</b> Load surface: 6.8 m <sup>2</sup>
4035		 GVW: from 3300 to 3500 kg <b>Maxi from 3500 to 4150 kg</b> Capacity: from 1310 to 1605 kg <b>Maxi from 1470 to 2120 kg</b> Load surface: 7.8 m <sup>2</sup>	 GVW: from 3300 to 3500 kg <b>Maxi from 3500 to 4005 kg</b> Capacity: from 1155 to 1450 kg <b>Maxi from 1315 to 1820 kg</b> Load surface: 5.9 m <sup>2</sup>	 GVW: from 3300 to 3500 kg <b>Maxi from 3500 to 4150 kg</b> Capacity: from 772 to 1142 kg <b>Maxi from 852 to 1657 kg</b> Load surface: 5.6 m <sup>2</sup>
4035XL		 GVW: from 3470 to 3500 kg <b>Maxi from 3500 to 4005 kg</b> Capacity: from 1475 to 1545 kg <b>Maxi from 1435 to 2010 kg</b> Load surface: 8.5 m <sup>2</sup>	 GVW: <b>Maxi from 3500 to 3920 kg</b> Capacity: from 1275 to 1715 kg Load surface: 5.9 m <sup>2</sup>	 GVW: <b>Maxi from 3500 to 3920 kg</b> Capacity: from 812 to 1252 kg Load surface: 6.3 m <sup>2</sup>



Flatbed tilting control.

Toolbox.



MULTIJET ENGINES



Comfort-Matic Gearbox

ENGINES

The New Ducato has a specific engine for every mission, efficient in terms of consumption and emission, dynamic and environmentally friendly. These are the advantages offered by second-generation MultiJet diesel power units with **Gear Shift Indicator**, which are also available with **Start&Stop** (versions 130-150 MultiJet). For further optimisation of efficiency, the New Ducato offers specific gearboxes and transmissions for all uses. These are available in versions with 5 or

6-speed manual gearbox with specific gearbox ratios for the Maxi range. On request, the 130, 150 and 180 MultiJet engine options can be combined with a 6-speed **Comfort-Matic** robotised gearbox which can be operated in automatic or sequential mode, making it ideal for any driving style. Additionally, the **UP button** optimises gear shifts with the vehicle at full load or driving uphill, automatically guaranteeing the most suitable engine speed in all cases.




**115 MultiJet**  
Displacement cc: 1956  
**Type:** diesel, 4 cylinders in line.  
Direct injection  
MultiJet II Common Rail.  
Turbocharger and intercooler  
**Timing:** toothed belt drive.  
Twin overhead camshafts.  
**Max. power:** 115 HP (85 kW)  
At rpm: 3700  
**Max. torque:** 280 Nm  
At rpm: 1,500 – 2,500  
Emissions level: Euro 5+

**130 MultiJet**  
Displacement cc: 2287  
**Type:** diesel, 4 cylinders in line.  
Direct injection  
MultiJet II Common Rail.  
Turbocharger and intercooler  
**Timing:** toothed belt drive. Twin overhead camshafts.  
**Max. power:** 130 HP (96 kW)  
At rpm: 3600  
**Max. torque:** 320 Nm  
At rpm: 1,800 – 2,500  
Emissions level: Euro 5+

**150 MultiJet**  
Displacement cc: 2287  
**Type:** diesel, 4 cylinders in line.  
Common Rail MultiJet II direct injection.  
Turbocharger  
fixed geometry and intercooler  
**Timing:** toothed belt drive.  
Twin overhead camshafts.  
**Max. power:** 148 HP (109 kW)  
At rpm: 3600  
**Max. torque:** 350 Nm  
At rpm: 1,500 – 2,700  
Emissions level: Euro 5+

**180 MultiJet**  
Displacement cc: 2999  
**Type:** diesel, 4 cylinders in line.  
Common Rail MultiJet direct injection.  
Turbocharger  
fixed geometry and intercooler  
**Timing:** chain drive.  
Twin overhead camshafts.  
**Max. power:** 177 HP (130 kW)  
At rpm: 3500  
**Max. torque:** 400 Nm  
At rpm: 1,400 – 3,000  
Emissions level: Euro 5+





ANTI-UV PAINT

REINFORCED BODY

STYLE AND  
FUNCTIONALITY

MORE COMFORTABLE  
PEDAL UNIT

STRENGTHENED MOVING PARTS

BOOSTED BRAKING SYSTEM

OPTIMISED CLUTCH

OPTIMISED SUSPENSION

## QUALITY

Thanks to thirty years of experience in the field and more than 10.5 million kilometres of experimental testing carried out on the latest generation, the New Ducato takes quality, robustness and reliability to a new level. The design and build interventions concerned all the main sections of the vehicle: **The body and moving parts** have been improved in terms of robustness, durability and reliability. The **suspension** has been perfected to minimise noise over time. The **braking systems** have been developed and boosted to increase performance and durability, reducing noise at the same time. Thanks to a new pedal unit, the comfort has been improved further, decreasing the effort required from the driver. The **life of the clutch** has been optimised to withstand even heavy-duty usage. The gearbox with shortened gear on the Maxi range with 180 MultiJet engine or the new hydraulic control on 2.3 MultiJet II engines have been designed to maximise the life of the components. The electrical system significantly increases the life of the bulbs and takes

care of the devices connected to it thanks to pulse-width-modulation technology. The **new style** conveys robustness and reliability at first glance. It was conceived to maximise the key performance for a commercial vehicle, with particular attention to serviceability. The innovative headlights positioned on sliding guides make replacing bulbs simpler, and the new panel under the windscreen protects the engine compartment from the environment. The **attention to detail** also concerned a new, **exclusive white paint** which effectively resists UV rays, preserving quality and uniformity over the years. In addition the Solex windscreen, available on request, reflects infrared light, reducing radiation and the temperature inside the cab for improved occupant comfort. These important improvements, in addition to the other characteristics and new features of the vehicle, mean that the New Ducato heads up the category also in terms of Running Costs and Residual Value, making it still more efficient and competitive.



## THE TECHNOLOGY OF A NEW GENERATION



Being able to interact simply and effectively with your tools at all times: with the New Ducato it's possible, thanks to its countless technological innovations that can be managed from the driver's

seat, which improve safety, increase comfort, optimise driving performance and feature state-of-the-art infotainment.





RADIO BLUETOOTH®

Uconnect NAV™ RADIO

## MULTIMEDIA

It's essential for every worker to have simple and effective access to their instruments.

All infotainment devices and safety and driving assistance systems can be accessed easily from the driver's seat. All the radios are equipped with the **Bluetooth® system** for hands-free calls plus, on request, a DAB receiver (Digital Audio Broadcasting). The **Uconnect™ Radio**, with CD player and steering wheel controls, is equipped with a 5" colour touchscreen from which it is possible to manage radio stations, phone calls and SMSs as well as

display the images from the rear camera. The interface with voice recognition further facilitates the management of phone calls and reading of SMSs and the possibility of Bluetooth® audio streaming enables wireless sharing of music. The **Uconnect™ Radio** is also available with built-in satellite navigator and Tom Tom software complete with TMC receiver for traffic information, IQ Routes to identify the quickest route to the destination, and database of fixed speed cameras (in countries where provided).



An **Aux** input and a **USB** port are available near the cup holder for recharging and connecting various personal devices. In addition, a further USB port can be requested for recharging next to the 12 V socket on the dashboard. In place of the cup holder, customers can request a spacious storage

The USB port next to the 12V socket on the dashboard.



compartment which can accommodate a laptop up to 15" in size. The multifunction support is a new feature exclusive to the New Ducato. Its unique, functional design allows it to hold any smartphone or tablet (up to 10").

The **multifunction support**\* is one of the great new features exclusive to the New Ducato. Thanks to a unique design, it can hold any smartphone or tablet with a display up to 10", as well as notepads of various sizes. It's like always having an office at your side.

\* available soon (tablet not provided)



## BACK UP CAMERA

A camera is available on the New Ducato that retrieves the image of the rear of the vehicle and transmits it to the display located in the cab. The camera activates when reverse is engaged and permits manoeuvres to be performed in complete safety. In addition, it enables control of loading/unloading operations directly from the cab thanks to automatic engagement upon opening of the rear doors.



## MULTIFUNCTIONAL SUPPORT

A USB port can be requested in place of the cigar lighter, to facilitate connection and recharging of devices on the support.





# THE SAFETY OF A NEW GENERATION



The New Ducato means always driving with maximum safety and performance. It's equipped with all the most advanced control and safety technology.

## TRACTION+

Traction+ is the innovative traction control system that improves the vehicle's traction on the most challenging surfaces, with poor grip. Under conditions of low grip from any drive wheel, the control unit detects slip and brakes it, transmitting the drive torque on the wheel with greater grip on the ground. In this way, the vehicle's performance is more comfortable, ensuring the best stability and handling.



## HILL DESCENT CONTROL

This allows you to tackle downhill driving with a slope of up to 50% without operating the brake or accelerator pedals, so you can concentrate on the driving alone.



## LANE DEPARTURE WARNING SYSTEM (LDWS)

The Lane Departure Warning System can determine whether the van is changing lane, even in low-visibility weather conditions. In the event of danger, an acoustic and visual signal alerts the driver of the potential impending threat.




## TRAFFIC SIGNS RECOGNITION (TSR)

Using the on-board camera, TSR assists the driver by recognising speed limit and overtaking signs and reproducing them on the on-board display so as to advise the driver.



## HIGH BEAM RECOGNITION

This manages the activation and deactivation of the main beam headlights, increasing visibility and reducing the risk of dazzling when driving at night, automatically recognising vehicles driving in the opposite direction.



## RAIN AND DUSK SENSOR

The Rain Sensor, in accordance with the intensity of the rain, activates the wipers and regulates their speed. The Dusk Sensor automatically activates the dipped beam headlights when the outside light is insufficient.



## CRUISE CONTROL AND SPEED LIMITER

Cruise Control allows you to set the cruising speed and keep it constant. The Speed Limiter allows you to set the maximum speed that the vehicle can reach, increasing safety and reducing the risk of violations (available only on 130 and 150 HP). When the accelerator pedal is fully depressed, the driver can exceed the limit set for specific overtaking manoeuvres.



## TYRE PRESSURE MONITORING SYSTEM (TPMS)

This monitors the pressure of the tyres constantly, indicating any loss in pressure directly on the on-board display.



## ELECTRONIC STABILITY CONTROL (ESC)

The system intervenes in emergency situations, for example in sudden swerving manoeuvres to avoid an unexpected obstacle. It monitors parameters such as lateral acceleration, speed, grip and angle of the steering wheel. It processes the data and, if necessary, intervenes on the drive torque and braking system to restore perfect stability to the vehicle.



## ROLL OVER MITIGATION

A new support for the ESC, in high-speed manoeuvres, for preventing situations in which the risk of roll over is higher, and to reduce roll in low-speed manoeuvres.



## HILL HOLDER

Brakes the vehicle when starting uphill, inhibiting rearward motion without using the handbrake. The brake is released automatically.



## LOAD ADAPTIVE CONTROL

The system integrated into the ESC identifies the vehicle's load conditions during travel, notably the weight and the centre of gravity. Depending on these parameters, it intervenes by calculating and communicating new calibrations and intervention thresholds to the ABS, ASR, ESC and Roll Over Mitigation functions so that these are always as effective as possible.



# THE STYLE OF A NEW GENERATION

The New Ducato is “city-proof”. It features an innovative look with sleek lines and dynamic, robust character, where style meets functionality in a striking design. It only takes a glance at the bumpers, the grille, the headlights, the skid plate and the handles in body

colour to see that style is of the essence on the New Ducato. Indeed, each of these elements can be customised to create a vehicle tailor-made for every need: because it’s the little details that make all the difference.



HEADLIGHTS WITH LED DRLS

FRONT IN 4 SECTIONS

SKID PLATE



The LED DRL headlights (on request) are located in an area protected from impacts and guarantee 40% more light efficiency. They are available with a black or white frame to match the grille.



The new bumper comprises three components that can be removed individually, in addition to the grille, permitting rapid, cost-effective maintenance. Its shape ensures the utmost protection. The grille is available in metallic grey or piano black with hot stamping.



The front overhang is minimal and the bumper is compact, protective and highly efficient, as demonstrated by the crash tests for the category (best in class).

Some possible combinations.







## ↑ TECHNO DASHBOARD

The New Ducato's dashboard has been developed to make all controls and indicators immediately available.

Two trim levels, **Classic** and **Techno**, a perfect match for the style and refinement of the interior and its fabrics, bringing together comfort and customisation.

## ← CLASSIC DASHBOARD





Finally, the refrigerated compartment keeps food and drinks cool when the air conditioning is in operation.

The dashboard offers a host of storage compartments. The centre section includes cup and bottle holders (up to 75 cl), a mobile phone compartment and an open storage compartment.



The instrument panel is designed to ensure maximum legibility and visibility of all necessary information in all driving conditions.



Instrument panel with chrome trims.





Practicality at work, comfort on board and maximum visibility in the passenger compartment: choose the New Ducato optionals that best meet your requirements.

**Two-seater bench with folding table.** The front passengers can be accommodated on a single seat or, thanks to the spacious cab, a two-seater bench, with a central backrest section that can turn into a practical table. Both configurations offer 3-point seat belts and individual headrests.



**Tachograph.** The “Continental VDO Automotive – DTCO 1381” tachograph is available on request or as standard depending on the version.



**Sprung seats.** A system of springs and shock absorbers damps the movements of the body, making the seat particularly comfortable even on uneven surfaces. Damping can be adjusted on the basis of the driver’s weight (from 40 kg to 130 kg).



**Heated seats.** The front seats can be heated by pressing the dedicated button to ensure maximum comfort even in the coldest climates and optimal battery use.



**Seat casing.** The casings conceal the seat supports and the storage compartments below the front seats.



The **Comfort-Matic robotised gearbox** offers maximum comfort when driving, especially in cities, fuel economy and reduction in emissions. There are two possible operating methods: sequential or completely automatic for choosing your favourite driving style.



**Automatic climate control system.** All versions of the New Ducato can be equipped with automatic climate control. The display, in the dashboard central console, provides all the information necessary and automatically controls the cab temperature, air flow and distribution, the activation of the compressor and air recirculation, based on the selected temperature and environmental conditions. This way, the temperature of the vehicle is maintained at a constant level even in the event of abrupt variations in the outside temperature.



**Webasto.** Thanks to the programmable Thermo Top “C” Webasto heater, it is possible to heat the vehicle up to 24 hours before setting off. It can also operate instantaneously, heating the cab and engine and defrosting the windows. The system is also completely independent of the engine. The Webasto is also available in an automatic version without timer.



**Reflecting windscreen.** Available on request is a windscreen with a double layer of Solex glass, containing metal oxides, which notably reduces the passage of UV rays into the cab, improving interior comfort. It also permits a reduction in consumption on sunny days, limiting the use of the climate control compressor.



**Floor protection.** On request, the floor of the load compartment can be lined with plywood provided with hooks for retaining goods.



**Load compartment wall protections.** The walls of the compartment too can be lined with plastic protective panels. On request, panels are available up to mid-height or up to full roof height.

**Rear opening to 270°.** Maximum practicality in loading and unloading is guaranteed by the doors with 270° opening, which optimise the space occupied by the vehicle, even in limited working areas. With these hinges, the movement of the doors can be locked in three different positions.



**Partitions.** The load compartment and cab can be separated by 2 panel partitions. Also available is a robust metal structure that protects the driver from the intrusion of transported material in the event of sharp braking.

**Removable roof light.** The load compartment can be illuminated by a practical roof light which, when required, can be removed and act as a portable torch. Once returned to its housing, the torch will recharge automatically.



**Steps.** To facilitate access to the New Ducato's load compartment, two retractable steps are available, one at the back and one at the side with automatic operation. Both are lined with non-slip aluminium and can support up to 150 kg.



**LED DRLs.** The daytime running lights with LED technology make New Ducato immediately recognisable. Additionally, LEDs provide significantly greater life than normal bulbs and reduce fuel consumption thanks to the limited electrical draw.



**Headlight washers.** Thanks to a high-pressure jet, New Ducato's retractable headlight washers permit the entire surface of the headlights to be kept clean, increasing visibility and consequently safety when driving.



The **front fog lights**, which are optional, are installed in the lower part of the front bumper so as to guarantee maximum efficiency coupled with suitable protection.



**Adjustable electric folding mirrors.** The rear-view mirrors with double parabolic lens on the New Ducato guarantee a panoramic rear view together with maximum practicality in use, since they can be adjusted and folded electrically from inside. Both parabolic lenses are independently adjustable so that they can adapt to all users.



**Parking sensors.** The ultrasonic parking sensors are activated when reverse gear is engaged. An intermittent buzzer informs the driver of an approaching obstacle.



**Air suspension.** The air suspension enables the attitude of the vehicle when driving to be maintained in all load conditions. With the vehicle stationary, the ground clearance can be increased or decreased to facilitate goods transport.



#### Suspension

Up to **7 types** of rear suspension **are available:**

- 1 suspension with single leaf spring;
- 1 "comfort" type suspension with single leaf spring and anti-roll bar (opt 062);
- 1 suspension with double leaf spring (opt 077);
- 2 suspensions with double leaf spring, increased ground clearance and anti-roll bar (opt 4GM), also available with 2500 kg permitted rear axle load (opt 057);
- 1 suspension in composite material which enables a 15 kg weight reduction, with increased ground clearance and anti-roll bar (opt 782);
- 1 self-levelling air suspension (opt 555), also available in air-comfort version for heavy duty conversions (opt 075)



Roof rack in aluminium.



Front and rear splash guards.

Fixed or extractable tow hooks are available for towing weights from 2500 to 3000 kg.

Loading roller to facilitate loading/unloading of goods on the vehicle roof.



The New Ducato is rounded off with a wide range of accessories, all of the highest quality, created by Mopar®, the reference brand for Parts & Service and Customer Care of Fiat Chrysler Automobiles. Approximately **80 accessories**, including devices and systems which will make your new vehicle even more efficient and functional for your business. Accessories for all types of carriage, parking sensors,

## MOPAR® ACCESSORIES RANGE

anti-theft systems, mats, seat covers and much more besides allow you to increase the value of your new commercial vehicle and your work.

Mopar® has also designed and produced a complete range of merchandising products characterised by great attention to materials, design and functionality including, for example, bags for leisure time, electric bicycles, barbecues etc.



More care for your car



Aluminium ladder, folding.



Load blocks.

Rubber mats.



The **anti-turbulence deflectors** allow you to travel with the windows lowered, removing any turbulence in the passenger compartment.



Anti-theft wheel bolts for 15"-16" rims.



Tyre valve caps with Fiat logo.



INTERIOR TRIM



HUB CAPS AND RIMS



BODY COLOURS/INTERIOR TRIM COMBINATIONS

			Vans Glazed vans Trucks	Vans Single-cab Trucks	Vans Glazed vans Trucks
			157 Grey Crêpe Fabric	297 (Opt.728) Flocked Brown	266 (Opt.727) Grey Imitation Leather
Painted front bumper					
Painted front handles					
Pastel colors					
199	Tiziano Red		■	■	■
455	Imperiale Blue		■	■	■
479	Line Blue		■	■	■
549	Ducato White	■	■	■	■
Metallic colors (opt. 210)					
453	Lago Blue	■	■	■	■
506	Golden White	■	■	■	■
611	Alluminio Grey	■	■	■	■
632	Black	■	■	■	■
691	Iron Grey	■	■	■	■

BODY COLOURS

PASTEL COLOURS



METALLIC COLOURS



The colours shown on these pages are purely indicative. Type-setting inks cannot reproduce body colours faithfully.